

Ports Guide of Rostock Germany

to whom it may concern

(last update April, 30th 2009)

UNCTAD code: DERSK; Port ID Number: 20072
IALA World VTS Guide Germany Page No. ZWD 1-2
Time Zone: GMT +1 Max. Draft: 13,00m

Publications:

Charts: INT 1355, Admiralty 2370

Books: Admiralty Pilot NP18 "Kattegat to Baltic Sea"

Admiralty List of Lights NP 74

Admiralty List of Radio Signals NP 281(1); Vol 3(1); Vol (6(2))

ROSTOCK HARBOUR

Facilities for :

* bulk * dry cargo * ro-ro * liquid * gas * container * passenger * multipurpose *

- A General Overview -

The harbour(s) of Rostock consists of:

1. Seehafen Rostock (also named "Überseehafen" - "Overseas port") including Oil Harbour.
2. Rostocker Fracht- und Fischereihafen (also named "Fishery Port").
3. Stadthafen (Old City Port).
4. Warnemuende Passanger Quays (Cruise Liner Terminal).
5. Metallaufbereitung Rostock (also named "MAB").
6. YARA Rostock (Chemical Harbour).
7. Muesing Kai
8. Maritimes Gewerbegebiet Gross Klein (also named "MAGEB")
9. Yachthafen Hohe Duene

Port Authority

Hafen- und Seemannsamt Rostock

PO-Box 48 10 46

18132 Rostock

Tel: +49 (381) 381 8710

Fax: +49 (381) 381 8735 or +49 (381) 6740 291

VHF ch 10 call "Rostock Port"

Internet: [hppt://www.rostock.de/](http://www.rostock.de/)

E-Mail: port.authority@rostock.de

Location

Rostock is situated in the W-part of the Baltic Sea, at the mouth of the river Warnow,

Lat: 54°09'N Long: 012°06'E.

Rostock is the principal port of Mecklenburg-Vorpommern. The yearly handling results are appr. 26 million tonnes.

Tidal range and flow: Tide is imperceptible, but strong winds from S directions may lower and gales from N directions may raise the water level up to +/- 1.5m.

Weather: *Prevailing winds:* Westerly

Ice: The River and the shallow waters in the estuary normally freeze in the winter, but the channels are kept open as long as possible, and the ports are seldom closed.

Density: The water in the estuary and in the port of Rostock is fresh to brackish with a density varying from 1006 to 1009 kg/m³.

Ports Guide of Rostock Germany

Restrictions and Shipmax

No obstacles, no locks, bridges etc.; no restrictions for entering at night normally.

Generally the Port of Rostock can accommodate vessels of LOA 295m and or beam 45m ; draught 13,00m, but vessels exceeding LOA 230m and or beam 36m and or draught 12,00m are requested to obtain permission from Waterway and Shipping Board. Vessels bound for Fracht- und Fischereihafen exceeding LOA 125m and or beam 17,5m and or draught 7,50m are also requested to obtain permission from Waterway and Shipping Board.

Anchorage

In the roads, 4-6nm NW of Warnemunde, there are two recommended anchorages in depths of 13-17m, bottom mud and sand. They are unsheltered from W, N and NE winds. Anchorage No.2 is reserved for tankers ,vessels with dangerous cargo and for bunkering; Anchorage No.1 for other vessels.

Traffic Schemes

Sea buoys, fairways and channels: River Warnow is approached from the Bay of Mecklenburg through a buoyed and lighted fairway channel, 5nm in length, 14,50m depth, leading to Warnemuende and a sea channel leading to Seehafen Rostock.

Traffic Organisation Service (VTS Centre)

"Warnemuende Traffic", situated in Warnemuende, continuously controls all movements between the approach buoy and the Rostock harbours and should be contacted via VHF ch 73 as soon as possible (normally two hours before approach buoy).

Tel: +49 (381) 206 71 841

Fax: +49 (381) 206 71 845

ETA

ETA notice required as soon as possible as leaving last port or 10, 7 and 2 days notice, stating name of vessel, IMO-number, call sign, nationality, gross-tonnage, length, beam, draft and security level. The arrival messages are subject to German law and operated with electronic data processing.

Pilot

1. Compulsory for tankers (oil, chemical, gas).
2. Compulsory for vessels in an area N of Berth No 60 (Überseehafen) with following dimensions:
Loa 100.00m or Breadth 15.00m or Draught 7.50m and more.
3. Compulsory for vessels in direction of Rostocker Fracht- und Fischereihafen with following dimensions:
Loa 80.00m or Breadth 11.00m or Draught 6.00m and more.
4. Compulsory for vessels in an area south or east of Rostocker Fracht- und Fischereihafen with following dimensions:
Loa 60.00m or Breadth 10.00m or Draught 4.50m and more.

Pilotage exemptions are possible in area N of Berth No 60 for vessels up to:
length over all 120.00m, breadth 19.00m and draught 8.00m.

The Pilot Station is situated in Warnemunde. Pilots are available throughout 24 hours. Pilot station monitors VHF ch 14, call "Warnemunde Pilot". Send message three hours before pilot position with following contents:

Name of the ship, call sign, length over all, breadth, gross tonnage, draught, port of call, ETA to boarding position.

Pilot will board by pilot boat near following positions:

- | | |
|--|----------------------------------|
| - Vessels with a draught 11.58m and more | Lat 54°17. 0'N, Long 012°00.0'E |
| - Vessels with a draught 06.50m and more | Lat 54°14. 5'N, Long 012°02.3'E |
| - Vessels with a draught not more 06.50m | Lat 54°12. 5'N, Long 012°02.4'E. |

The distance from farthest boarding point to anchorage No. 1 is 3sm; to Rostock-Warnemünde break waters 6.5sm, to turning bassin Überseehafen 8,5sm, to Stadthafen 13sm.

Helicopter pilotage operations are normally not in process.

Ports Guide of Rostock Germany

Pilotage Company

Lotsenbrüderschaft "WIROST"

An der See 10a

18119 Warnemünde

Tel: +49 (381) 2060 380

Fax: +49 (381) 2060 301

Internet: <http://www.rostockpilot.de>

E-Mail: info@RostockPilot.de

Duty Pilot:

VHF ch 14 call "Warnemunde Pilot"

Tel: +49 (381) 2060 350

Fax: +49 (381) 2060 351

Towage (valid from May the 1th 2009)

Tugs available up to approx 40 tons bollard pull.

Towage is compulsory as follows:

- Old City Port, RFH (Fishery Port), MAB, Müsing Kai, MAGEB
 - Ships from LOA 90 m 1 tug
 - Ships from LOA 140 m 2 tugs
- Warnemünde, Überseehafen
 - Ships from LOA 110 m 1 tug
 - Ships from LOA 160 m 2 tugs
 - Ships from LOA 200 m 3 tugs
- Oilharbour, Chemical Harbour
 - Ships from LOA 100 m 1 tug
 - Ships from LOA 145 m 2 tugs inward-bound / 1 tug outward-bound
 - Ships from LOA 160 m 2 tugs
 - Ships from LOA 185 m 3 tugs inward-bound / 2 tugs outward-bound
 - Ships from LOA 200 m 3 tugs

Towage Companies

Schlepper – ARGE MV

Tel: +49 (381) 548 31 35

Fax: +49 (381) 548 31 50

Otto Wulf GmbH

Tel: +49 (381) 76971 48

Fax: +49 (381) 76971 48

Mooring Service

Vessels have to take mooring service from BRZ 1000 upwart.

Radio

Warnemünde Traffic VHF Channel 73

VTS

Warnemünde Pilot VHF Channel 14

Pilotage

Rostock Port VHF Channel 10

Port Authority, Port Operating in all ports

Marienehe Port VHF Channel 13

Port Operation in the Fishery Port

Ports Guide of Rostock Germany

Documents

Customs:	Cargo Manifest, Ship Stores List, Crew Effect List
Immigration:	Crew List, Passport or Seamen's Book
Port Health Authority:	Maritime Declaration of Health, Ship Sanitation Control (Exemption) Certificate
Port Authority:	International Tonnage Certificate 1969 (ITC 69), Classification Certificate

Security

Coast Guard / Police

contact by VHF ch 73 -Warnemünde Traffic (VTS-Centre) - or VHF ch 10 -Rostock Port (Port Authority)

Maritime Emergency

Rostock-Warnemünde is part of the Maritime Emergency Response Concept of the German Government in the Baltic Sea (contact by Warnemünde Traffic -VTS-Centre-). There is located one rescue station equipped with a fast rescue boat and one emergency tug.

Fire Fighting

Shore and water based fire brigade available. Specialized fire fighting vessels are available.

ISPS

Ports (see GISIS: Maritime Security) are operating according ISPS.

Dangerous Cargo

Dangerous Cargo can be handled, prior notice to Port Authority is compulsory.

Port State Control

Port State Controls are undertaken.

Garbage-, Sludge-, Dirty Ballast Removal

Removal facilities are available. The disposal of waste, of oily residues/mixtures and other substances from ships are subject to international and European law.

The form "Notification for ship-generated waste and cargo residues" can be downloaded at the homepage <http://www.rostock.de/hafenamt> .

For specific information please contact the port agents (see attached list) or Port Authority.

Veterinary Station

Handling of animal products and live animals are available; prior the permission of veterinary station is compulsory.

Diving

Diving operations can be undertaken. There are several diving companies in Rostock.

Repair Facilities

Repair work can be undertaken. There are several companies in Rostock.

Bunkering

Bunkers can be supplied in the anchorage no. 2, in the harbours via barge or truck.

Ports Guide of Rostock Germany

PORTS, BERTHS and CARGO

1. Seehafen Rostock:

Seehafen Rostock (Overseasport) including Oil Harbour is the main Port of Rostock and offers the whole range of facilities of a modern port. A large variety of rail-mounted shore side cranes are available provided with attachments for handling unitised cargo, steel coils, paper reels, containers, vehicles and bulk cargo.

Port Operator: Hafen-Entwicklungsgesellschaft
Rostock mbH
HERO
Port Development Company
POB 48 12 40
18134 Rostock
Tel: +49 (381) 350 4000
Fax: +49 (381) 350 4005
Internet: <http://www.rostock-port.de>
E-Mail: info@rostock-port.de

Arrangement Office
(Central Disposition):
Tel: +49 (381) 350 5080
Fax: +49 (381) 350 5085

Seehafen Rostock
Umschlagsgesellschaft mbH
SHR-U
Cargo Handling Company
POB 48 10 09
18132 Rostock
Tel: +49 (381) 66 62 0
Fax: +49 (381) 66 62 105
Internet: <http://www.portofrostock.de>
E-Mail: atzmon@portofrostock.de

Oil Harbour (GÖR)
Cargo Handling Company
Oewerwischenweg 1
18146 Rostock
Tel: +49 (381) 648 100
Fax: +49 (381) 648 250
E-Mail: goer-gmbh@t-online.de

Berth Max draft (m) Usage

Oil-Harbour

No 01 5.33
No 02 5.33
No 03 13.00
No 04 11.58
No 05 11.58
No 06 13.00

Bassin C

No 10 8.00
No 12 10.36 Fertilizers
No 13 13.00 Grain
No 14 10.21 Generals
No 16 10.36 Grain, Stones
No 17 13.00 Grain
No 18 13.00 Grain

Bassin B

No 21 9.45 Stones
No 22 10.06 Stones
No 23 10.06 Coal
No 24 13.00 Coal
No 25 5.79
No 30 7.32
No 31 9.45
No 32 9.75
No 33 9.75 Cement
No 34 9.75
No 35 reconstruction
No 36 8.40
No 37 9.45

Berth Max draft (m) Usage

Bassin A

No 41 9.30
No 42 9.30
No 43 9.80
No 44 9.80 Scrap
No 45 9.80 Scrap
No 46 9.30 Generals
No 50 8.68
No 51 8.85
No 52 8.85
No 53 9.30 Ro-Ro
No 54 10.36
No 55 9.00

Warnow Quay

No 60 S 9.19 Ro-Ro
No 60 N 10,36 Ro-Ro
No 61 10.36 Paper / Generals
No 62 7.92 Ro-Ro
No 63 9.45 Ro-Ro
No 64 8.10 Ro-Ro
No 65 7.10
No 66 8.90 Ro-Ro
No 67 9.00 Ro-Ro

Ports Guide of Rostock Germany

Cargo Handling and Facilities

The above ship berths are available on more than 9.000 meters of quayside. The port is equipped with modern ship handling equipment and special facilities for example:

Ship unloaders for discharging coal; Cranes with hoppers for discharging coal, fertilizer, road building materials;

One ship loader connected to the warehouse by conveyor belt for loading fertilizer (urea) and calcium ammonium nitrate (CAN);

Two ship loaders (grain terminal) connected to the silos of the different shippers;

One Terminal with bulk-in-bags out facility, palletizing and see-side connection to the ship by crane belt conveyor.

Ferry Services

The port has a ferry terminal covering 200 000 m² with six berths offering several times daily routes to Gedser (Denmark), Trelleborg (Sweden), Helsinki (Finland) and Ventspils (Latvia). Two of the berths are also equipped to handle railcars. A 1km long road flyover is linking the ferry terminal with the expressway A19 Rostock-Berlin and A20 (coastal expressway).

Liner Services

There are liner services in the Baltic region (Finland, Latvia) and Norway; regular tramp connections to Great Britain and USA.

2. Rostocker Fracht- und Fischereihafen (Fischery Port):

The Port situated at the W bank of the river Wamow, halfway between Seehafen Rostock and Stadthafen used to be the home port of Rostock's large fishing fleet. In the recent years considerable changes have taken place and the port is now able to handle a wide variety of goods, bulk cargoes, refrigerated cargoes (cold stores with a capacity of 12.000t), general cargoes, etc. The port offers berths for vessels drawing up to 7.92m in draft.

Port Operator: Rostocker Fracht- und Fischereihafen GmbH

Fischerweg 408

18069 Rostock

Tel: +49 (381) 811 2317

Fax: +49 (381) 811 2728

VHF ch 13 call "Marienehe Port"

Internet: <http://www.rfh.de>

E-Mail: info@rfh.de

Berth	Max Draft (m)	Berth	Max Draft (m)
No 1	5.49	No 11	5.18
No 2	5.18	No 18	5.49
No 3	5.18	No 19	7.92
No 4	5.18	No 20	7.92
No 5	5.49	No 21	7.92
No 6	5.49	No 22	7.92
No 7	5.49	No 23	7.92
No 8	5.49	No 24	7.92
No 9	5.18	No 25	7.92
No 10	5.18	No 26	7.92

Ports Guide of Rostock Germany

3. Stadthafen (Old City Port):

The port is situated in the centre of the town on the S bank of river Warnow. No cargo handling takes place. The quays are used for medium sized passenger vessels, river craft and local traffic as well as yachts.

Port Operator: Hafen- und Seemannsamt Rostock
PO-Box 48 10 46
18132 Rostock
Tel: +49 (381) 381 8710
Fax: +49 (381) 381 8735 or +49 (381) 6740 291
VHF ch 10 call "Rostock Port"
Internet: [hppt://www.rostock.de/hafenamt](http://www.rostock.de/hafenamt)
E-Mail: port.authority@rostock.de

Berth	Max Draft(m)	Berth	Max Draft(m)
No 71	3,80	No 83 S	3,40
No 72	MS "Georg Büchner"	No 84	3,40
No 73	4,40	No 85	3,40
No 74	4,40	No 86	3,10
No 75	3,10	No 87	3,10
No 78	3,10	No 88	2,80
No 79	4,40	No 89	2,80
No 80	4,40	No 90	2,80
No 81	4,40	No 91	2,80
No 82	4,20	No 92	2,10
No 83	4,20	No 93	0,60
No 83 E	4,20	No 94	0,60

4. Warnemuende Passenger Quays (Cruise Liner Terminal):

Warnemuende offers berths for passenger vessels. Largest vessel ever handled: LOA = 294m.

Port Operator: Hafen-Entwicklungsgesellschaft
Rostock mbH
HERO
POB 48 12 40
18134 Rostock
Tel: +49 (381) 350 4000
Fax: +49 (381) 350 4005
Internet: <http://www.rostock-port.de>
E-Mail: info@rostock-port.de

Berth No	Max Draft (m)	Berth No	Max Draft (m)
P 1	6.55	P 5	6.55
P 2	6.55	P 6	6.55
P 3	6.55	P 7	8.38
P 4	6.55	P 8	8.53

In Warnemünde are also quays used for medium sized passenger vessels, river craft and local traffic as well as yachts. The marina "Alter Strom" offers berths with drafts up to 3,10m but Loa max 28,6m.

Ports Guide of Rostock Germany

5. Metallaufbereitung (MAB):

The quay of MAB is situated at the W bank of the river Warnow adjacent to Rostocker Fischereihafen and offers berths with drafts up to 5.49 m. The quay is used entirely for handling bulk cargoes.

Port Operator: INTERSEROH-Metallaufbereitung Rostock GmbH
Po-Box 10 20 87
18003 Rostock
Tel: +49 (381) 8090 60
Fax: +49 (381) 8090 624
E-Mail: mab.rostock@t-online.de

Berth No	Max Draft (m)
1	5.49
2	5.49
3	5.49
4	5.49

6. YARA (Chemical Harbour):

The port is situated close to Seehafen Rostock in a dredged basin N of the oil harbour and offers one berth for gas tankers (ammonia) with a draft of up to 9.30m.

Port Operator: YARA Rostock
Zweigniederlassung der YARA GmbH & Co. KG
Po-Box 102021
18004 Rostock
Tel: +49 (38202) 53-0
Fax: +49 (38202) 53-110
Internet: <http://www.yara.de>
E-mail: yara.rostock@yara.com

Berth No	Max Draft (m)
No 07	9.30

7. Muesing Kai:

The Müsing Kai is situated at the W bank of the river Warnow between the shipyard "Aker Warnemünde Operation" and Overseaport and offers berths with drafts up to 5.30 m. The quay is used entirely for handling bulk cargoes.

Port Operator: Kies GmbH Rostock
Am Liepengraben 6
18146 Rostock
Tel: +49 (381) 12831 0
Fax: +49 (381) 12831 19
Internet: <http://www.andrevoss.de>

Berth No	Max Draft (m)
01	3.00
02	5.30
03	5.30
04	5.30

Ports Guide of Rostock Germany

8. Maritimes Gewerbegebiet Gross Klein (MAGEB):

The quay of MAGEB is situated at the W bank of the river Warnow southerly the shipyard "Aker Warnemünde Operation", and offers berths with drafts up to 6,40 m. The quay is used mainly for ships repair and outfit and handling of vessels laden with generals.

Port Operator: Hafen- und Seemannsamt Rostock
PO-Box 48 10 46
18132 Rostock
Tel: +49 (381) 381 8710
Fax: +49 (381) 381 8735 or +49 (381) 6740 291
VHF ch 10 call "Rostock Port"
Internet: [hppt://www.rostock.de/hafenamt](http://www.rostock.de/hafenamt)
E-Mail: port.authority@rostock.de

Berth Length (m)	Max Draft (m)
245	6,40

9. Yachthafen Hohe Duene:

This Yachtharbour ist situated easterly of the breakwaters Warnemuende and its sheltered with an own breakwater system. It offers all together 750 berthing places. Max. Draft is 3,50m; Max. Loa is 60m.

Port Operator: Maritime Service GmbH
Am Yachthafen 1-8
18119 Rostock

Tel: +49 (381) 5040 8000
Fax: +49 (381) 5040 8099
Internet: [hppt://www.yachthafen-hohe-duene.de](http://www.yachthafen-hohe-duene.de)
E-Mail: info@yachthafen-hohe-duene.de

Please Note:

In case you need detailed or special information please contact one of the above mentioned port operator, cargo handling company or following port agent.

Ports Guide of Rostock Germany

List of some Port and Line Agents:

Name	Address	Zipcode / City	Phone	Fax
			+49 (381)...	
Ahlmann-Zerssen GmbH & Co. KG	Ost-West-Straße 5	18147 Rostock	673 33 33	673 33 44
Baltic Lloyd	Am Skandinavienkai 2-3	18147 Rostock	670 02 94	350 36 15
BALTIMAR Schiffahrt u. Transport GmbH	POB 48 11 36	18133 Rostock	350 44 20	350 44 25
Bäume + Greinert Schiffahrts- u. Agentur GmbH	POB 48 11 31	18133 Rostock	350 46 80	350 46 85
BTV Shipping & Agencies GmbH	Ost-West-Str. 5	18147 Rostock	675 23 77	675 23 78
DSV Air & Sea (Germany) GmbH	POB 48 11 08	18133 Rostock	670 04 18	670 04 20
ECS Eurocargo	Am Getreidehafen 3	18147 Rostock	670 04 12	670 04 13
Frachtcontor Junge & Co.	POB 48 12 18	18134 Rostock	350 59 82	350 59 85
HCRöver Maritime Agency GmbH	Zum Ölhafen 7	18147 Rostock	670 09 72	670 09 74
Meerpahl & Meyer GmbH	POB 48 11 41	18133 Rostock	670 02 84	670 02 83
Ostsee Mineralöl Bunker GmbH	Thomas-Mann-Str. 20	18055 Rostock	252 23 0	252 23 16
Rostocker Zementumschlagsgesellschaft	Ost-West-Str. 12	18147 Rostock	673 00 42	673 00 44
Sartori & Berger GmbH	POB 48 10 22	18132 Rostock	670 89 0	670 89 10
Scandlines Deutschland	Hochhaus am Fährhafen	18119 Rostock	543 50	543 5678
SCAN-Shipping GmbH	Feldstraße 2	18182 Bentwisch	670 06 00	670 06 03
SK Schiffahrtskontor GmbH	Neuer Markt 17	18055 Rostock	403 15 0	403 15 10
Schiffsmaklerei Baltic Shipping	Ost-West-Str. 12	18147 Rostock	673 06 15	673 06 211
Tallink Silja Line c/o Sartori & Berger GmbH	Ost-West-Str. 35	18147 Rostock	670 76 110	670 76 119
TT-Line c/o Rostock Ferry Services	Am Warnowkai 8	18147 Rostock	670 79 0	670 79 80
UBT See- u. Hafenspedition GmbH	POB 481115	18133 Rostock	637 27 0	637 27 20
United Shipping Agency	Bürohaus am Seehafen	18147 Rostock	795 57 96	548 69 86